

Address: 5/F, C District, No. 98, Pacific Industrial Zone, Xintang Town, Zengcheng District, Guangzhou City, Guangdong Province, China

Contact Person: Nicole

Tel: +86-20-82787153

Mobile: +86-18144816030

Fax: +86-20-82787291








Email: led02@elightingcn.com

Skype: led01gzlighting

QQ: 1401972675

Website: www.elightingcn.com

Track line price list

| Item | Color | Remark | Picture | NW (kg) | QTY/ctn | GW (kg) | Carton Size (L,W,H)cm | | |
|--------------------------|-------------|---|---|---------|---------|---------|-----------------------|----|----|
| 2 wire track line | | | | | | | | | |
| 1 meter | Black/white | Contain Head/End |  | 0.5 | 20 | 10.5 | 103 | 19 | 10 |
| | Silver | | | | | | | | |
| 1.5 meters | Black/white | | | 0.6 | 20 | 12.7 | 153 | 19 | 10 |
| | Silver | | | | | | | | |
| 2 meters | Black/white | | | 0.8 | 20 | 16.9 | 203 | 19 | 10 |
| | Silver | | | | | | | | |
| 3 meters | Black/white | | | 1.16 | 20 | 24.7 | 303 | 19 | 10 |
| | Silver | | | | | | | | |
| I mini Connector | Black/white |  | 0.045 | 200 | 9.5 | 34 | 21 | 18 | |
| | Silver | | | | | | | | |
| L Connector | Black/white |  | 0.065 | 200 | 13.5 | 38 | 21 | 22 | |
| | Silver | | | | | | | | |
| T Connector | Black/white |  | 0.085 | 100 | 9 | 34 | 21 | 18 | |
| | Silver | | | | | | | | |
| X Connector | Black/white |  | 0.105 | 100 | 11 | 38 | 21 | 22 | |
| | Silver | | | | | | | | |
| Power Connector | Black/white |  | 0.06 | 100 | 6.5 | 34 | 21 | 18 | |
| | Silver | | | | | | | | |
| End cap | Black/white |  | | | | | | | |
| | Silver | | | | | | | | |









3 wire track line

| | | | | | | | | | |
|--------------------|-------------|---|---|------|-------|------|-----|----|---|
| 1 meter | Black/white | Contain Head/End |  | 0.5 | 20 | 10.5 | 103 | 19 | 9 |
| | Silver | | | | | | | | |
| 1.5 meters | Black/white | | | 0.75 | 20 | 15.7 | 153 | 19 | 9 |
| | Silver | | | | | | | | |
| 2 meters | Black/white | | | 1 | 20 | 20.8 | 203 | 19 | 9 |
| | Silver | | | | | | | | |
| 3 meters | Black/white | | | 1.5 | 20 | 30.8 | 303 | 19 | 9 |
| | Silver | | | | | | | | |
| I Connector | Black/white |  | 0.105 | 100 | 11 | 38 | 21 | 22 | |
| | Silver | | | | | | | | |
| Flexible connector | Black |  | 0.135 | | | | | | |
| | White | | | | | | | | |
| L Connector | Black/white |  | 0.105 | 100 | 11 | 38 | 21 | 22 | |
| | Silver | | | | | | | | |
| T Connector | Black/white |  | 0.15 | 50 | 8 | 41 | 26 | 24 | |
| | Silver | | | | | | | | |
| X Connector | Black/white |  | 0.195 | 50 | 10.25 | 41 | 26 | 24 | |
| | Silver | | | | | | | | |
| I mini Connector | Black/white |  | 0.03 | 200 | 6.5 | 34 | 21 | 18 | |
| | Silver | | | | | | | | |
| Power Connector | Black/white |  | 0.07 | 150 | 11 | 34 | 21 | 18 | |
| | Silver | | | | | | | | |
| End cap | Black/white |  | | | | | | | |
| | Silver | | | | | | | | |



4 wire Round shape track line

| | | | | | | | | | |
|--------------------|-------------|---|---|------|-------|--------|-----|----|----|
| 1 meter | Black/white | Contain Head/End |  | 0.85 | 100 | 85.5 | 103 | 17 | 10 |
| | Silver | | | | | | | | |
| 1.5 meter | Black/white | | | 1.29 | 100 | 130 | 153 | 17 | 10 |
| | Silver | | | | | | | | |
| 2 meter | Black/white | | | 1.72 | 100 | 173.25 | 203 | 17 | 10 |
| | Silver | | | | | | | | |
| 3 meter | Black/white | | | 2.58 | 100 | 259.5 | 303 | 17 | 10 |
| | Silver | | | | | | | | |
| I Connector | Black/white |  | 0.035 | 50 | 2.25 | 34 | 21 | 22 | |
| | Silver | | | | | | | | |
| Flexible connector | Black |  | | | | | | | |
| | White | | | | | | | | |
| Hard connector | Black |  | | | | | | | |
| | White | | | | | | | | |
| L Connector | Black/white |  | 0.14 | 70 | 10.3 | 41 | 26 | 24 | |
| | Silver | | | | | | | | |
| T Connector | Black/white |  | 0.21 | 50 | 11 | 41 | 26 | 24 | |
| | Silver | | | | | | | | |
| X Connector | Black/white |  | 0.265 | 25 | 7.125 | 41 | 26 | 24 | |
| | Silver | | | | | | | | |
| Power Connector | Black/white |  | 0.08 | 100 | 8.5 | 38 | 21 | 22 | |
| | Silver | | | | | | | | |
| I mini Connector | Black/white |  | 0.035 | 200 | 7.5 | 34 | 21 | 18 | |
| | Silver | | | | | | | | |
| End cap | Black/white |  | 0.005 | | | | | | |
| | Silver | | | | | | | | / |

4 wire Square shape track line

| | | | | | | | | | |
|------------------|-------------|---|---|-------|------|------|-----|----|----|
| 1 meter | Black/white | Contain Head/End |  | 0.805 | 10 | 8.55 | 103 | 17 | 10 |
| | Silver | | | | | | | | |
| 1.5 meter | Black/white | | | 1.2 | 10 | 12.7 | 153 | 17 | 10 |
| | Silver | | | | | | | | |
| 2 meter | Black/white | | | 1.6 | 10 | 17 | 203 | 17 | 10 |
| | Silver | | | | | | | | |
| 3 meter | Black/white | | | 2.4 | 10 | 25.5 | 303 | 17 | 10 |
| | Silver | | | | | | | | |
| I Connector | Black/white |  | 0.105 | 100 | 11 | 41 | 26 | 24 | |
| | Silver | | | | | | | | |
| L Connector | Black/white |  | 0.105 | 100 | 11 | 41 | 26 | 24 | |
| | Silver | | | | | | | | |
| T Connector | Black/white |  | 0.155 | 50 | 8.25 | 41 | 26 | 24 | |
| | Silver | | | | | | | | |
| X Connector | Black/white |  | 0.2 | 40 | 8.5 | 41 | 26 | 24 | |
| | Silver | | | | | | | | |
| Power Connector | Black/white |  | 0.055 | 100 | 6 | 34 | 21 | 18 | |
| | Silver | | | | | | | | |
| I mini Connector | Black/white |  | 0.03 | 200 | 6.5 | 34 | 21 | 18 | |
| | Silver | | | | | | | | |
| End cap | Black/white |  | | | | | | | |
| | Silver | | | | | | | | |

Recessed track line

| | | | | | | | | | |
|---------------------------------|-------------|------------------|---|---|--|--|--|--|---|
| 4 wire square shape - 1 meter | Black/white | Contain Head/End |  | / | | | | | / |
| 4 wire square shape - 1.5 meter | Black/white | | | / | | | | | / |
| 4 wire square shape - 2 meter | Black/white | | | / | | | | | / |
| 4 wire square shape - 3 meter | Black/white | | | / | | | | | / |
| 3 wire square shape - 1 meter | Black/white | Contain Head/End |  | / | | | | | / |
| 3 wire square shape - 1.5 meter | Black/white | | | / | | | | | / |
| 3 wire square shape - 2 meter | Black/white | | | / | | | | | / |
| 3 wire square shape - 3 meter | Black/white | | | / | | | | | / |

Adaptor

| | | | | | | | | | |
|--------------------------|-------------|--|---|---|--|--|--|--|---|
| 2 Wire Adaptor GT-201 | Black/white | |  | / | | | | | / |
| 2 Wire Adaptor GT-202 | Black/white | |  | / | | | | | / |
| 2 Wire Adaptor GT-205 | Black/white | |  | / | | | | | / |
| 2 Wire Adaptor GT-207 | Black/white | |  | / | | | | | / |
| 2 Wire Adaptor GT-208 | Black/white | |  | / | | | | | / |
| 2 Wire Adaptor GT-209 | Black/white | |  | / | | | | | / |
| 3 Wire Adaptor GT-301 | Black/white | |  | / | | | | | / |
| 3 Wire Adaptor GT-302 | Black/white | |  | / | | | | | / |
| 3 Wire Adaptor GT-304 | Black/white | |  | / | | | | | / |

| | | | | | | | | | |
|---|-------------|--|---|---|--|--|--|--|---|
| 3 Wire Adaptor GT-305 | Black/white | |  | / | | | | | / |
| 3 Wire Adaptor GT-306 | Black/white | |  | / | | | | | / |
| 4 WIRE Adaptor GT- 401 | Black/white | |  | / | | | | | / |
| 4 WIRE Adaptor GT- 402 | Black/white | |  | / | | | | | / |
| 4 WIRE Adaptor GT- 403 | Black/white | |  | / | | | | | / |
| Suspension parts (2 wire, cable 1.5 mts) | Black/white | |  | | | | | | |
| Suspension parts (4 wire, cable 1.5 mts) | Black/white | |  | | | | | | |

Remark :
1.Quotation above is made on the basis of EXW Guangzhou.
2.Payment : 30% the amount should be paid before producing , the balance 70% of the payment should be paid before shipping ;
3.Lead time : samples : 3-5 days ; Mass qty : 15-20days ;